

Service Manual

SERVICE PARTS & DIAGRAMS

BENDPAK P-6B

PRODUCT SKU
5175025

DRAWING Nº
5260280


CATEGORY
Open Center Pit Lift

REV
Version AF

DATE
12.09.2022

BendPak.

This guide is a troubleshooting reference used for maintaining and servicing your Bend Pak product. It provides comprehensive information on identifying serviceable parts and components and assists in troubleshooting problems and performing assembly /disassembly procedures.



BendPak, Inc. Corporate Office
1645 Lemonwood Drive
Santa Paula, CA 93060 USA
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
info@bendpak.com


Customer Service Desk / Warranty
Customer Service Representatives
Office Tel: 1-805-933-9970
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
customerservice@bendpak.com

Parts Orders
Customer Service Representatives
Office Tel: 1-805-933-9970
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
parts@bendpak.com

Domestic Sales & Service
USA Sales Representatives
Office Tel: 1-805-933-9970
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
sales@bendpak.com

International Sales & Service
Office Tel: 1-805-933-9970
Exports Dept: 1-805-933-9970 EXT. 192
Ext. Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
bpkexports@bendpak.com

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
AD	REMOVED 5905135, UPDATED BOM REVISION	12/07/2017	TM	00913
AE	UPDATED BOM REVISIONS	09/18/2018	TM	00996
AF	UPDATED BOM REVISION	03/29/2019	CA	01067



NOTE: UNLESS OTHERWISE SPECIFIED.

- SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
- ALL LABELS TO BE APPLIED AFTER PAINTING
- SEE ATTACHED LABEL PLACEMENT SHEET

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5245153	P-6B LIFT SUPERSTRUCTURE	1	X
2	5250118	PARTS BOX P-6B/P-6FB	1	Q
3	5905204	BENDPAK LABEL	1	-
4	5905465	MANUFACTURER LABEL	1	-
5	5905940	PRODUCT DATA LABEL	1	-
6	5905951	2017_SERIAL_TAG-B-5905951-VERTICAL-NO BLEED	1	-
7	5905813	OPERATION INSTRUCTION, WARNING LABEL	1	-
8	5905176	WARNING TO PROLONG LIFE	1	-
9	5940006	P-6B/FB PALLET ASSEMBLY	1	A
10	5781007	P-6B/FB CARRIER BOX	1	A
11	5905285	SERIALTAG EXTERIOR PEEL OFF INVENTORY LABEL	1	-
12	5905962	P-6B_PACKAGING_LABEL	1	-

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM
TOLERANCES: MACHINE TO
0 = ±1.5
0.0 = ±0.5
0.00 = ±0.13
ANGULAR: MACHINE TO
0 = ±1/2°
SURFACE FINISH 1.6 Ra µm
FOR MACHINED SURFACES
UNLESS OTHERWISE SPECIFIED

NAME DATE
DRAWN AC 09/01/2009
CHECKED -- --

THIRD ANGLE PROJECTION


PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

BendPak.
1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE:
P-6B PRODUCTION LIFT
VER C



SIZE DWG. NO. REV
A 5260280 AF

SCALE: 1:25 SHEET 1 OF 2



 1645 LEMONWOOD DR. SANTA PAULA, CA 93060			
TITLE: P-6B PRODUCTION LIFT VER C			
SIZE	DWG. NO.	REV	
A	5260280	AF	
SCALE: 1:20			SHEET 2 OF 2

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
D	REPLACED 5550489 WITH 5550395	10/30/2013	TM	00593
E	ADDED 5550201, UPDATED NEXT ASSEMBLY	07/14/2017	TM	00852
F	REPLACED 5550201 WITH 5550142	12/07/2017	TM	00913



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5550395	FTG TEE -04 COMP x -04 COMP x -04 COMP	1	-
2	5550183	FTG ELB -06 JIC -06L ORB	1	-
3	5550550	FTG FLB -06 JIC -06 NPT	1	-
4	5550100	FTG NPL -04 JIC x -06 NPT	2	-
5	5545340	WASHER M8 x24 FLAT	4	-
6	5530050	HHB M8 x 1.25 x 30	4	-
7	5535001	NUT M8 x 1.25 NL	4	-
8	5550113	FTG ELB -04 NPT L x -04 JIC	2	-
9	5550142	FTG NPL -06 ORB x -06 F NPT	3	-

DO NOT SCALE DRAWING		NAME	DATE	 1645 LEMONWOOD DR. SANTA PAULA, CA 93060	
DRAWN		AC	09/01/2009		
CHECKED		AW	12/18/2017		
DIMENSIONS ARE IN MM		THIRD ANGLE PROJECTION		TITLE:	
				P-6B/6FB PARTS BAG	
				SIZE DWG. NO.	REV
				A 5174113	F
SCALE: 1:4				SHEET 1 OF 1	

NOTE: UNLESS OTHERWISE SPECIFIED.


1. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING

2. ASSEMBLE ITEMS AS SHOWN


NEXT ASSEMBLY
5250118

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
E	REPLACED 5550481 WITH 5550087	10/29/2013	TM	00593
F	REPLACED 5590240 WITH 5590175, UPDATED NEXT ASSEMBLIES	05/05/2015	MR	00683
G	SWITCHED POSITIONS OF 5550087 AND 5550486, UPDATED NEXT ASSEMBLY	06/16/2016	TS	00765



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5700031	ZERO ANGLE MTG BRACKET	1	C
2	5590175	PUSH BUTTON AIR VALVE	1	B
3	5530043	SHCS M3 x 0.5 x 30	2	-
4	5545024	WASHER M3 x 9mm	2	-
5	5535020	NUT M3 x 0.5 NL	2	-
6	5550087	FTG ELB -04 COMP x -02 NPT	1	-
7	5550486	FTG NPL -02 NPT x -04 F NPT	1	-


DO NOT SCALE DRAWING		NAME	DATE	 BendPak. MOVING AUTOMATIC SPACE SAVING 1645 LEMONWOOD DR. SANTA PAULA, CA 93060	
DRAWN		AC	3/14/2008		
CHECKED		CA	09/02/2015		
DIMENSIONS ARE IN MM 		THIRD ANGLE PROJECTION		TITLE:	
				PUSH BUTTON AIR ASSEMBLY	
		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.		SIZE	
				DWG. NO.	REV
				A 5215096	G
				SCALE: 2:3	SHEET 1 OF 1

NOTE: UNLESS OTHERWISE SPECIFIED.
 1. ASSEMBLE ITEMS AS SHOWN

NEXT ASSEMBLY
HD/HDS/HDSO
SERIES
5250118
5250249
5250364

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS
 THE SOLE PROPERTY OF BENDPAK INC. ANY
 REPRODUCTION IN PART OR AS A WHOLE WITHOUT
 THE WRITTEN PERMISSION OF BENDPAK INC. IS
 PROHIBITED.

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
T	UPDATED BOM REVISION	10/18/2017	TM	00898
U	UPDATED BOM REVISION	09/18/2018	TM	00996
V	REPLACED 5530064 WITH 5530097	03/27/2019	CA	01067



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5600002	P-6B LEFT RAMP WELDMENT	1	T
2	5600004	P-6B/6FB LEFT SAFETY BAR WELDMENT	1	G
3	5505350	MODEL#211 HAIR PIN/ LARGE	3	-
4	5600177	P-6B/6FB LOWER HINGE PIN WELDMENT	1	A
5	5601195	P-6B SERIES FORWARD PIVOT ARM WELDMENT	2	A
6	5600297	P-6B SERIES LEFT SAFETY LOCKOUT BAR WELDMENT	1	D
7	5502195	AIR CYLINDER, Ø19mm x 25 STROKE	1	-
8	5530097	HHB M6 x 1.0 x 50	1	-
9	5535001	NUT M8 x 1.25 NL	4	-
10	5535357	NUT M6 x 1.0 NL	1	-
11	5540282	SPRING P-6B / 6FB	4	A
12	5505625	FEMALE ROD END M6 x 33mm	1	-
13	5550087	FTG ELB -04 COMP x -02 NPT	1	-
14	5755231	P-6B/6FB SAFETY BAR SPACER	1	A
15	5545026	WASHER M6 x Ø12 SL	1	-
16	5530019	HHB M6 x 1 x 16	1	-
17	5535230	NUT 1/4-28 JN	1	-

WHERE USED
P-6B

NOTE: UNLESS OTHERWISE SPECIFIED.


- SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
- ASSEMBLE ITEMS AS SHOWN

NEXT ASSEMBLY
5245153

DO NOT SCALE DRAWING		NAME	DATE	1645 LEMONWOOD DR. SANTA PAULA, CA 93060
DRAWN	AC	09/01/2009		
CHECKED	--	--		
DIMENSIONS ARE IN MM		THIRD ANGLE PROJECTION		TITLE:
				P-6B LEFT RAMP ASSEMBLY
				SIZE DWG. NO.
				A 5215302
				REV V
				SCALE: 1:15
				SHEET 1 OF 1

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
T	UPDATED BOM REVISION	10/18/2017	TM	00898
U	UPDATED BOM REVISION	09/18/2018	TM	00996
V	REPLACED 5530064 WITH 5530097	03/27/2019	CA	01067



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5600003	P-6B RIGHT RAMP WELDMENT	1	T
2	5505350	MODEL#211 HAIR PIN/ LARGE	3	-
3	5600177	P-6B/6FB LOWER HINGE PIN WELDMENT	1	A
4	5600005	P-6B/6FB RIGHT SAFETY BAR WELDMENT	1	G
5	5601195	P-6B SERIES FORWARD PIVOT ARM WELDMENT	2	A
6	5535001	NUT M8 x 1.25 NL	4	-
7	5600298	P-6B SERIES RIGHT SAFETY LOCKOUT BAR WELDMENT	1	D
8	5502195	AIR CYLINDER, Ø19mm x 25 STROKE	1	-
9	5535357	NUT M6 x 1.0 NL	1	-
10	5530097	HHB M6 x 1.0 x 50	1	-
11	5540282	SPRING P-6B / 6FB	4	A
12	5505625	FEMALE ROD END M6 x 33mm	1	-
13	5550087	FTG ELB -04 COMP x -02 NPT	1	-
14	5755231	P-6B/6FB SAFETY BAR SPACER	1	A
15	5545026	WASHER M6 x Ø12 SL	1	-
16	5530019	HHB M6 x 1 x 16	1	-
17	5535230	NUT 1/4-28 JN	1	-

WHERE USED
P-6B

NOTE: UNLESS OTHERWISE SPECIFIED.

- SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
- ASSEMBLE ITEMS AS SHOWN

NEXT ASSEMBLY
5245153

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM



NAME	DATE
DRAWN AC	09/01/2009
CHECKED --	--

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.


BP BendPak.
1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE: P-6B RIGHT RAMP ASSEMBLY

SIZE DWG. NO.	REV
A 5215303	V

SCALE: 1:15 SHEET 1 OF 1

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
V	UPDATED BOM REVISIONS	08/08/2017	TM	00862
W	UPDATED BOM REVISIONS	10/18/2017	TM	00898
X	UPDATED BOM REVISIONS	03/27/2019	CA	01067



WHERE USED
P-6B

NOTE: UNLESS OTHERWISE SPECIFIED.


1. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
2. ASSEMBLE ITEMS AS SHOWN
3. VERIFY CYLINDER HYDRAULIC PORTS ARE CAPPED OFF

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5215302	P-6B LEFT RAMP ASSEMBLY	1	V
2	5215303	P-6B RIGHT RAMP ASSEMBLY	1	V
3	5502340	CYLINDER ASSEMBLY Ø2.25 x 18	2	E
4	5600001	POWER UNIT STAND WELDMENT	1	A
5	5746621	P-6B SERIES CYLINDER SPACER	4	A


DO NOT SCALE DRAWING		NAME		DATE		 1645 LEMONWOOD DR. SANTA PAULA, CA 93060	
DRAWN		AC		09/01/2009			
CHECKED		--		--			
DIMENSIONS ARE IN MM 		THIRD ANGLE PROJECTION				TITLE: P-6B LIFT SUPERSTRUCTURE	
							
		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.				SIZE	DWG. NO.
				A	5245153	X	
				SCALE: 1:20		SHEET 1 OF 1	

NEXT ASSEMBLY
5260280

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
N	REPLACED 5300845 WITH 5300002	02/02/2017	TS	00808
P	REMOVED 5550142, UPDATED BOM REVISION	07/14/2017	TM	00852
Q	REPLACED 5590135 WITH 5590104, UPDATED BOM REVISION AND NEXT ASSEMBLY	12/07/2017	TM	00913



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5174113	P-6B/6FB PARTS BAG	1	F
2	5530456	AB 3/4" x 4 - 3/4"	12	-
3	5570795	1/4" POLY-FLO TUBING	17145mm	-
4	5215096	PUSH BUTTON AIR ASSEMBLY	1	G
5	5570153	P-6B SERIES HOSE ASSY Ø10 x 3130mm DS	1	A
6	5570154	P-6B SERIES HOSE ASSY Ø6 x 3640mm DS	2	B
7	5715003	POWER UNIT VIBRATION DAMPENER	1	B
8	5300002	55mm RUBBER PAD	4	C
9	5900119	P-6B/6FB INSTALLATION MANUAL	1	-
10	5590104	HYDRAULIC FLOW DIVIDER; SHANGHAI TANG	1	-


DO NOT SCALE DRAWING		NAME	DATE	BP BendPak.	
		DRAWN	AC	09/01/2009	1645 LEMONWOOD DR. SANTA PAULA, CA 93060
		CHECKED	AW	12/18/2017	
DIMENSIONS ARE IN MM		THIRD ANGLE PROJECTION		TITLE:	PARTS BOX P-6B/P-6FB
				SIZE	DWG. NO.
				A	5250118
				REV	
				Q	
				SCALE: 1:12	
				SHEET 1 OF 1	

NOTE: UNLESS OTHERWISE SPECIFIED.

- SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING

NEXT ASSEMBLY
5260280
5260281

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
AC	UPDATED BOM REVISION	10/19/2017	TM	00898
AD	REMOVED 5905135, UPDATED BOM REVISION	12/07/2017	TM	00913
AE	UPDATED BOM REVISION	09/18/2018	TM	00996




ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5245152	P-6FB LIFT SUPERSTRUCTURE	1	W
2	5250118	PARTS BOX P-6B/P-6FB	1	Q
3	5905204	BENDPAK LABEL	1	--
4	5905465	MANUFACTURER LABEL	1	--
5	5905940	PRODUCT DATA LABEL	1	--
6	5905951	2017_SERIAL_TAG-B-5905951-VERTICAL-NO BLEED	1	--
7	5905176	WARNING TO PROLONG LIFE	1	--
8	5905813	OPERATION INSTRUCTION, WARNING LABEL	1	--
9	5940006	P-6B/FB PALLET ASSEMBLY	1	A
10	5781007	P-6B/FB CARRIER BOX	1	A
11	5905285	SERIALTAG EXTERIOR PEEL OFF INVENTORY LABEL	1	--
12	5905963	P-6FB PACKAGING LABEL	1	--


DO NOT SCALE DRAWING		NAME	DATE	 1645 LEMONWOOD DR. SANTA PAULA, CA 93060
DRAWN		AC	09/01/2009	
CHECKED		CA	10/19/2018	
THIRD ANGLE PROJECTION				TITLE:
DIMENSIONS ARE IN MM TOLERANCES: MACHINE TO 0 = ±1.5 0.0 = ±0.5 0.00 = ±0.13 ANGULAR: MACHINE TO 0 = ±1/2° SURFACE FINISH 1.6 Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED		P-6FB PRODUCTION LIFT VER C		
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.		SIZE	DWG. NO.	REV
		A	5260281	AE
SCALE: 1:25				SHEET 1 OF 2

NOTE: UNLESS OTHERWISE SPECIFIED.

- SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
- ALL LABELS TO BE APPLIED AFTER PAINTING
- SEE ATTACHED LABEL PLACEMENT SHEET



1800



BP BendPak.

1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE: P-6FB PRODUCTION
LIFT VER C

SIZE	DWG. NO.	REV
A	5260281	AE

SCALE: 1:20

SHEET 2 OF 2

PART SPECIFICATION FORM

ACP

BENDPAK Number:	5570129
MRP Description:	1/4" HYDRAULIC HOSE 31 CL-0400X
Date:	05/24/2018
ECO :	00950

1. Engineering Specification

Application:

1/4" HYDRAULIC HOSE

Detailed Description:

ONE or TWO BRAID STEEL WIRE HYDRAULIC HOSE

SIZE: 1/4" / 6mm I.D. MIN
 0.53" / 13.4mm O.D. MAX

SPECS: 5700PSI OR 393 BAR WORKING PRESSURE MINIMUM
 17100PSI OR 1179 BAR MINIMUM BURST PRESSURE MINIMUM
 3" / 80mm MIN BEND RADIUS

COLOR: BLACK

ADDITIONAL CONTACT INFORMATION:


Xin Yurong
 Shandong Ningjin High Energy Hose Co., Ltd.
 Tel: +86 534-5421821
 No. 7, Taishan Rd., Industrial Park, Ningjin County, Shandong, China




2. Vendor Information (Or for Reference)

Approved Vendor	Vendor Part #	Contact #	AUTHORIZED COMPONENT PROVIDER
1) Ningjin Hydraulic Hose Co.	5570129	+86 534-5421821	X
2)			
OR BENDPAK ENGINEERING APPROVED EQUIVALENT			

REVISION		DATE	EDITED BY	ECO#
REV	DESCRIPTION			
A	PRODUCTION RELEASE, DERIVED FROM 5570002	08/28/2009	AC	00294
A-001	UPDATED NEXT ASSEMBLY	07/24/2013	TM	00611




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	REV
1	5570116	Ø10 ID HYDRAULIC HOSE	3092mm*	--
2	5550336	FTG NPL -06 CRIMP x -06 JIC	2	--

DO NOT SCALE DRAWING		NAME	DATE	 BendPak. PROVIDING AUTOMOTIVE SERVICE SOLUTIONS		1645 LEMONWOOD DR. SANTA PAULA, CA 93060			
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±1.0 0.00 = ±0.25 0.000 = ±0.13 ANGULAR: MACH±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED MATERIAL:		DRAWN	AC	08/28/2009	TITLE: P-6B SERIES HOSE ASSY Ø10 x 3130mm DS				
		CHECKED	MM	08/06/2013					
		THIRD ANGLE PROJECTION			SIZE DWG. NO.			REV	
		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.						A 5570153	
SIZE:					SCALE: 1:2			SHEET 1 OF 1	


NOTE: UNLESS OTHERWISE SPECIFIED.

1. FOR ITEM 1 SPECIFICATIONS REFER TO PART SPECIFICATION FORM
2. (*)ITEM 1 QTY FOR REFERENCE ONLY

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
A	PRODUCTION RELEASE, DERIVED FROM 5570001	08/28/2009	AC	00294
A-001	UPDATED NEXT ASSEMBLY	07/24/2013	TM	00611
B	REPLACED 5570110 WITH 5570126	09/21/2015	JM	00726




ITEM NO	PART NUMBER	DESCRIPTION		QTY	REV
1	5570129	Ø6.4 ID HYDRAULIC HOSE		3602mm*	-
2	5550325	FTG NPL Ø1/4 CRIMP x -04 JIC		2	-

DO NOT SCALE DRAWING	NAME		DATE	 BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93006 PROVIDING AUTOMOTIVE SERVICE SOLUTIONS
	DRAWN	AC	08/28/2009	
	CHECKED	CA	09/29/2015	
	THIRD ANGLE PROJECTION			
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±1.0 0.00 = ±0.25 0.000 = ±0.13 ANGULAR: MACH±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED				TITLE: P-6B SERIES HOSE ASSY Ø6 x 3640mm DS
		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.	SIZE DWG. NO.	REV
			A 5570154	B
			SCALE: 1:2	SHEET 1 OF 1

NOTE: UNLESS OTHERWISE SPECIFIED.

1. FOR ITEM 1 SPECIFICATIONS REFER TO PART SPECIFICATION FORM
2. (*)ITEM 1 QTY FOR REFERENCE ONLY

NEXT ASSEMBLY
5250118
5250249



NOTE: UNLESS OTHERWISE SPECIFIED.

1. BREAK AND DEBURR ALL SHARP EDGES 0.3mm
2. REMOVE ALL WELD SPLATTER
3. DIMENSIONS SHOWN ARE AFTER PAINTING
4. PAINT BENDPAK GRAY (RAL-7024)
5. ADHERE RUBBER PAD AFTER PAINTING USING 5580007 ADHESIVE

NEXT ASSEMBLY
5215302

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
Q	REMOVED 5550011, UPDATED BOM REVISION	03/21/2016	TM	00753
R	ADDED 5700321 & 5735553, UPDATED BOM REVISIONS	07/13/2017	TM	00852
T	UPDATED BOM REVISIONS	09/18/2018	TM	00996

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5620005	P-6B LEFT BASE WELDMENT	1	R
2	5620011	P-6B/6FB TOP PAD WELDMENT L.H.	1	D
3	5700321	LR-10000/P-6B HINGE HOLDER	2	C
4	5735553	P-6B/6FB HINGE HOLDER SPACER	2	A
5	5755001	HINGE PIN RETAINER	4	A
6	5715290	RUBBER TOP PAD	1	B


DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM
TOLERANCES:
0. = ± 1.5
0.0 = ± 0.5

ANGULAR: 0. = $\pm 2^\circ$

SURFACE FINISH 1.6 ISO Ra μm
FOR MACHINED SURFACES
UNLESS OTHERWISE SPECIFIED

NAME	DATE
DRAWN JR	07/17/2007
CHECKED CA	10/19/2018



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

BendPak.


1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE:
P-6B LEFT RAMP
WELDMENT

SIZE	DWG. NO.	REV
A	5600002	T

SCALE: 1:15

SHEET 1 OF 4




NOTE: UNLESS OTHERWISE SPECIFIED.


1. BREAK AND DEBURR ALL SHARP EDGES 0.3mm
2. REMOVE ALL WELD SPLATTER
3. DIMENSIONS SHOWN ARE AFTER PAINTING
4. PAINT BENDPAK GRAY (RAL-7024)
5. ADHERE RUBBER PAD AFTER PAINTING USING 5580007 ADHESIVE.

NEXT ASSEMBLY
5215303

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
Q	REMOVED 5550011, UPDATED BOM REVISION	03/21/2016	TM	00753
R	ADDED 5700321 & 5735553, UPDATED BOM REVISIONS	07/13/2017	TM	00852
T	UPDATED BOM REVISIONS	09/18/2018	TM	00996

ITEM NO.	PART NUMBER	DESCRIPTION	QTY	REV
1	5620015	P-6B RIGHT BASE WELDMENT	1	R
2	5620014	P-6B/6FB TOP PAD WELDMENT R.H.	1	D
3	5755001	HINGE PIN RETAINER	4	A
4	5715290	RUBBER TOP PAD	1	B
5	5700321	LR-10000/P-6B HINGE HOLDER	2	C
6	5735553	P-6B/6FB HINGE HOLDER SPACER	2	A

DO NOT SCALE DRAWING		NAME	DATE	 1645 LEMONWOOD DR. SANTA PAULA, CA 93060	
DRAWN		JR	07/17/2007		
CHECKED		CA	10/19/2018		
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION 		TITLE: P-6B RIGHT RAMP WELDMENT	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.		SIZE	DWG. NO.	REV	
		A	5600003	T	
SCALE: 1:15				SHEET 1 OF 4	




NOTE: UNLESS OTHERWISE SPECIFIED.



1. BREAK AND DEBURR ALL SHARP EDGES 0.3mm
2. REMOVE ALL WELD SPLATTER
3. ARMS MUST SWING FREELY

NEXT ASSEMBLY
5600002

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
P	UPDATED BOM REVISIONS	10/06/2016	TS	00781
Q	UPDATED BOM REVISION	07/12/2017	TM	00852
R	UPDATED BOM REVISIONS	09/18/2018	TM	00996




ITEM NO.	PART NUMBER	DESCRIPTION	QTY	REV
1	5721001	BASE ANGLE	2	A
2	5620001	P-6B REAR HINGE WELDMENT	1	K
3	5620006	P-6B/6FB ASYMMETRIC HINGE WELDMENT	1	H
4	5700002	P-6B L.H. DRIVE ON RAMP	1	E
5	5620008	SPRING MOUNT WELDMENT	1	B
6	5620009	L.H. SAFETY STOP WELDMENT	1	B
7	5735003	SAFETY SUPPORT BAR	1	A
8	5730001	CLEVIS SUPPORT PAD	1	B
9	5736002	BOLTING PAD / EYE	2	C
10	5730653	BOTTOM CYLINDER CLEVIS	2	B
11	5745002	LOAD RAMP HARD STOP	2	A
12	5755003	P-6B/6FB SAFETY PIVOT TUBE	2	C
13	5730005	AIR CYLINDER CLEVIS	2	A
14	5735004	BASE STIFFENING STRIP	2	A
15	5736234	P-6B/6FB SAFETY GUIDE BAR	1	C

DO NOT SCALE DRAWING		NAME	DATE	 1645 LEMONWOOD DR. SANTA PAULA, CA 93060	
DRAWN		JR	10/02/2007		
CHECKED		CA	10/19/2018		
THIRD ANGLE PROJECTION				TITLE: P-6B LEFT BASE WELDMENT	
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED				SIZE DWG. NO.	REV
				A 5620005	R
				SCALE: 1:15	
				SHEET 1 OF 3	

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
B	ADDED Ø28 HOLE, UPDATED TITLE TO REFLECT WHERE USED	08/02/2012	TM	00538
C	UPDATED BOM REVISION	04/21/2014	TS	00654
D	5755002 DISTANCE WAS 35 NOW 39.5 pg 2	07/13/2017	TM	00852




ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE


NOTE: UNLESS OTHERWISE SPECIFIED.

1. DO NOT WELD. MUST BE IN PLACE PRIOR TO WELDING. MUST ROTATE FREELY.
2. BREAK AND DEBURR ALL SHARP EDGES 0.3mm
3. REMOVE ALL WELD SPLATTER

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5700003	TOP DECK / COVER	1	A
2	5735005	HINGE ARM SMALL STOP	2	A
3	5720205	HINGED ARM SPACER	2	A
4	5755002	SPRING RETAINER	4	A
5	5620003	HINGE ARM STOP	1	B
6	5735006	COVER END SUPPORT	1	A
7	5620010	L.H. CLEVIS MOUNT WELDMENT	1	A
8	5746587	UPPER HINGE PIN	1	A

DO NOT SCALE DRAWING		NAME	DATE	 BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060	
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED		DRAWN	JR	10/02/2007	
		CHECKED	AW	8/1/2017	
		THIRD ANGLE PROJECTION		TITLE: P-6B/6FB TOP PAD WELDMENT L.H.	
 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.		SIZE DWG. NO.		REV	
		A 5620011		D	
		SCALE: 1:12		SHEET 1 OF 3	

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
B	ADDED Ø28 HOLE, UPDATED TITLE TO REFLECT WHERE USED	08/02/2012	TM	00538
C	UPDATED BOM REVISION	04/21/2014	TS	00654
D	5755002 DISTANCE WAS 35 NOW 39.5 pg 2	07/13/2017	TM	00852




ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE

NOTE: UNLESS OTHERWISE SPECIFIED.



1. BREAK AND DEBURR ALL SHARP EDGES 0.3mm
2. REMOVE ALL WELD SPLATTER
3. DO NOT WELD. MUST BE IN PLACE PRIOR TO WELDING. MUST ROTATE FREELY.

ITEM NO.	PART NUMBER	DESCRIPTION		QTY.	REV
1	5700003	TOP DECK / COVER		1	A
2	5735005	HINGE ARM SMALL STOP		2	A
3	5720205	HINGED ARM SPACER		2	A
4	5755002	SPRING RETAINER		4	A
5	5620003	HINGE ARM STOP		1	B
6	5735006	COVER END SUPPORT		1	A
7	5620013	R.H. CLEVIS MOUNT WELDMENT		1	A
8	5746587	UPPER HINGE PIN		1	A

DO NOT SCALE DRAWING		NAME	DATE	 BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060		
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED	DRAWN	JR	10/02/2007			
	CHECKED	AW	8/1/2017			
		THIRD ANGLE PROJECTION		TITLE:		
				P-6B/6FB TOP PAD WELDMENT R.H.		
		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.		SIZE	DWG. NO.	REV
				A	5620014	D
				SCALE: 1:12		SHEET 1 OF 3

NEXT ASSEMBLY
5600003
5600013

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
P	UPDATED BOM REVISIONS	10/06/2016	TS	00781
Q	UPDATED BOM REVISION	07/13/2017	TM	00852
R	UPDATED BOM REVISIONS	09/18/2018	TM	00996




ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5721001	BASE ANGLE	2	A
2	5620001	P-6B REAR HINGE WELDMENT	1	K
3	5620006	P-6B/6FB ASYMMETRIC HINGE WELDMENT	1	H
4	5620008	SPRING MOUNT WELDMENT	1	B
5	5620012	R.H. SAFETY STOP WELDMENT	1	B
6	5735003	SAFETY SUPPORT BAR	1	A
7	5730001	CLEVIS SUPPORT PAD	1	B
8	5736002	BOLTING PAD / EYE	2	C
9	5730653	BOTTOM CYLINDER CLEVIS	2	B
10	5745002	LOAD RAMP HARD STOP	2	A
11	5755003	P-6B/6FB SAFETY PIVOT TUBE	2	C
12	5700004	P-6B R.H. DRIVE ON RAMP	1	E
13	5730005	AIR CYLINDER CLEVIS	2	A
14	5735004	BASE STIFFENING STRIP	2	A
15	5736234	P-6B/6FB SAFETY GUIDE BAR	1	C

NOTE: UNLESS OTHERWISE SPECIFIED.

- BREAK AND DEBURR ALL SHARP EDGES 0.3mm
- REMOVE ALL WELD SPLATTER
- ARMS MUST SWING FREELY

NEXT ASSEMBLY
5600003

DO NOT SCALE DRAWING		NAME	DATE	 BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060		
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5		DRAWN	JR			07/12/2007
		CHECKED	CA			10/19/2018
ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION			TITLE:	
					P-6B RIGHT BASE WELDMENT	
		SIZE	DWG. NO.		REV	
		A	5620015		R	
		SCALE: 1:15				SHEET 1 OF 3

PART SPECIFICATION FORM

BENDPAK Number:	5900119
MRP Description:	P-6B / FB INSTALLATION MANUAL
Date:	05/15/2018
ECO :	00903

1. Engineering Specification

Application:

INSTALLATION MANUAL

Detailed Description:




IMPORTANT SAFETY INSTRUCTIONS SAVE THESE INSTRUCTIONS

PLEASE READ THE ENTIRE CONTENTS OF THIS MANUAL PRIOR TO INSTALLATION AND OPERATION. BY PROCEEDING WITH LIFT INSTALLATION AND OPERATION YOU AGREE THAT YOU FULLY UNDERSTAND AND COMPREHEND THE FULL CONTENTS OF THIS MANUAL. FORWARD THIS MANUAL TO ALL OPERATORS. FAILURE TO OPERATE THIS EQUIPMENT AS DIRECTED MAY CAUSE INJURY OR DEATH.
Revision E2 - May 2018
P/N 5900119

INSTALLATION AND OPERATION MANUAL

6000 POUND CAPACITY
LOW RISE PIT LIFT

Models:
• P-6B
• P-6FB



RECEIVING

The shipment should be thoroughly inspected as soon as it is received. The signed Bill of Lading is acknowledgement by the shipping carrier as receipt of this product as listed in your invoice as being in a good condition of shipment. If any of these goods listed on this Bill of Lading are missing or damaged, do not accept goods until the shipping carrier makes a notation on the freight bill of the missing or damaged goods. Do this for your own protection.

BE SAFE

Your new lift was designed and built with safety in mind. However, your overall safety can be increased with proper training and thoughtful operation on the part of the operator. DO NOT operate or repair this equipment without reading this manual and the important safety instructions shown inside. Keep this operation manual near the lift at all times. Make sure that ALL USERS read and understand this manual.



1645 Lemonwood Dr.
Santa Paula, CA. 93060, USA
Toll Free 1-800-353-2383
Tel: 1-805-933-9970
Fax: 1-805-933-9160
www.bendpak.com

2. Vendor Information

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

PART SPECIFICATION FORM

BENDPAK Number:	5905176
MRP Description:	WARNING TO PROLONG LIFE
Date:	10/24/2014
ECO :	00654

1. Engineering Specification

Application:

SCISSOR CYLINDER WARNING

Detailed Description:



SIZE: 3" L x 3" W (76mm x 76mm)

- Material: White Vinyl Pressure Sensitive Adhesive
- Thickness: 4 Mil
- Ink: U.V. protected CMYK 2/C Process
- Finish: Polished
- Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital
- Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

2. Vendor Information

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

PART SPECIFICATION FORM

BENDPAK Number:	5905204
MRP Description:	BENDPAK LABEL
Date:	09/16/2015
ECO :	00715

1. Engineering Specification

Application:

BENDPAK LABEL

Detailed Description:



Material: Clear Adhesive PET

Size: 16"W x 3"H

Thickness: 4 Mil

Finish: Polished

Ink: U.V. protected, Opaque White

Print Process: Silk Screen, 85 line-screen (YELLOW color in file represents what should be clear PET material and SHOULD NOT print as YELLOW ink. White area in file represents Opaque White ink.)

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

2. Vendor Information

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

PART SPECIFICATION FORM


BENDPAK Number:	5905285
MRP Description:	SERIALTAG EXTERIOR PEEL OFF INVENTORY LABEL
Date:	04/20/2016
ECO :	00739

1. Engineering Specification

Application:

DATA SERIAL TAG

Detailed Description:



SIZE: 3" L x 3" W (76mm x 76mm)

2. Vendor Information

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

PART SPECIFICATION FORM

BENDPAK Number:	5905465
MRP Description:	MANUFACTURER LABEL
Date:	05/07/2013
ECO :	00593

1. Engineering Specification

Application:

MANUFACTURER LABEL

Detailed Description:

MFD. BY BENDPAK INC.

LIFT TYPE: SURFACE MOUNT CAPACITY: MED/HVY DTY
 POWER: ELECTRIC/HYDRAULIC ANCHORS: AS EQUIPPED
 INSTALLATION - SEE OWNERS GUIDE OR CONTACT FACTORY

SHIPPING DAMAGE CLAIMS

WHEN THIS EQUIPMENT IS SHIPPED, TITLE PASSES TO THE PURCHASER UPON RECEIPT FROM THE CARRIER. CONSEQUENTLY, CLAIMS FOR THE MATERIAL DAMAGED IN SHIPMENT MUST BE MADE BY THE PURCHASER AGAINST THE TRANSPORTATION COMPANY AT THE TIME SHIPMENT IS RECEIVED.

PLEASE READ ALL OPERATORS/USERS MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. UNDERSTAND AND COMPREHEND THE FULL CONTENTS OF EACH MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. DELIVER THE MANUAL(S) TO ALL OPERATORS. FAILURE TO OPERATE THIS EQUIPMENT AS DIRECTED MAY CAUSE INJURY OR DEATH.

IMPORTANT NOTE:

BENDPAK LIFTS ARE SUPPLIED WITH CONCRETE FASTENERS MEETING THE CRITERIA AS PRESCRIBED BY ASTM E488 - 96(2003). LIFT BUYERS ARE RESPONSIBLE FOR ANY SPECIAL REGIONAL STRUCTURAL AND/OR SEISMIC ANCHORING REQUIREMENTS SPECIFIED BY ANY OTHER AGENCIES AND/OR CODES SUCH AS THE UNIFORM BUILDING CODE (UBC) AND/OR INTERNATIONAL BUILDING CODE (IBC).



INTERNAL BAR CODE - FOR FACTORY AUDIT ONLY 34086

BPK	STYOT	P20KVR	X18576	HVY DTY/ GVR
				832

THE MANUFACTURE, USE, SALE OR IMPORT OF THIS PRODUCT MAY BE SUBJECT TO ONE OR MORE UNITED STATES PATENTS, OR PENDING APPLICATIONS, OWNED BY BENDPAK, INC.

ENGINEERED BY BENDPAK INC USA

MADE IN CHINA

SIZE: 5.125" L x 5.125" W (130mm x 130mm)

2. Vendor Information

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

PART SPECIFICATION FORM

BENDPAK Number:	5905813
MRP Description:	OPERATION INSTRUCTION; WARNING, DRIVE CAR OVER LIFT; MOVING MACHINERY LABEL
Date:	09/13/2016
ECO :	00776

1. Engineering Specification

Application:

OPERATION INSTRUCTION

Detailed Description:

SIZE: 3" W x 15" L (76mm x 381mm)

- Material: White Vinyl Pressure Sensitive Adhesive
- Thickness: 4 Mil
- Ink: U.V. protected CMYK 2/C Process
- Finish: Polished
- Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital
- Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

⚠ WARNING Read and understand all safety warnings and operation procedures before using lift. Keep hands and feet clear from moving parts. OPERATION INSTRUCTIONS TO RAISE LIFT: • Clear area of personnel and make sure lift is in full lowered position. • Drive vehicle over lift making sure center line of the vehicle is positioned properly over lift pads. • Position lift pads underneath the vehicle making sure that they make secure contact with the factory recommended lifting points.	• Before raising, make sure the weight of the vehicle does not exceed rated capacity of lift. • Push the RAISE button to commence lifting. • Raise lift until the vehicles tires clear the floor. • Stop then check if vehicle is secure and the lifting pads are still in contact with the frame. • Continue raising vehicle to desired height. • Raise until the SAFETY LOCK BARS drop into the LOCKED position. • Lower the lift until the LOCK BARS rests against the LOCK BLOCK. ⚠ WARNING • ALWAYS make sure the safeties are engaged before attempting to work on or near a vehicle.	TO LOWER LIFT: • Clear area before lowering lift. • Raise lift by pressing RAISE BUTTON on power unit. Elevate lift at least two inches to allow adequate clearance for locks to clear. • Press push button AIR SAFETY VALVE and HOLD. • Lower vehicle by pressing power unit lowering handle until lift has descended completely. • When lowering lift PAY CAREFUL ATTENTION that all personnel and objects are kept clear. • ALWAYS keep a visual line of site on lift AT ALL TIMES. • ALWAYS make sure that ALL LOCKS are disengaged. If one of the locks inadvertently engages on descent, lift and/or vehicle may disrupt causing personal injury or death.	⚠ WARNING Drive car completely over lift NEVER OVERLOAD LIFT Check for 1" minimum clearance between car and lift before raising. DO NOT park on, or load lift in a fully lowered position or damage may result. ⚠ WARNING Moving Machinery Keep hands and feet clear at all times
--	---	--	---

2. Vendor Information

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

PART SPECIFICATION FORM

BENDPAK Number:	5905940
MRP Description:	PRODUCT DATA LABEL
Date:	05/06/2013
ECO :	00593

1. Engineering Specification

Application:

PRODUCT DATA LABEL

Detailed Description:



SANTA PAULA, CA USA
 WWW.BENDPAK.COM

LIFT TYPE: SURFACE MOUNT CAP: MED/HVY DTY MFG. BPK SEE DATA PLATE FOR PRODUCT DETAILS
 POWER: ELECTRIC/HYDRAULIC INSTALLATION - SEE OWNERS GUIDE OR CONTACT FACTORY

SAFETY INSTRUCTIONS: IF ATTACHMENTS, ACCESSORIES OR CONFIGURATION MODIFYING COMPONENTS THAT ARE LOCATED IN THE LOAD PATH, AFFECT OPERATION OF THE LIFT, AFFECT THE LIFT ELECTRICAL LISTING OR AFFECT INTENDED VEHICLE ACCOMMODATION ARE USED ON THIS LIFT AND, IF THEY ARE NOT CERTIFIED FOR USE ON THIS LIFT, THEN THE CERTIFICATION OF THIS LIFT SHALL BECOME NULL AND VOID. CONTACT THE PARTICIPANT FOR INFORMATION PERTAINING TO CERTIFIED ATTACHMENTS, ACCESSORIES OR CONFIGURATION MODIFYING COMPONENTS.

BENDPAK LIFTS ARE SUPPLIED WITH CONCRETE FASTENERS MEETING THE CRITERIA AS PRESCRIBED BY ASTM E488 - 96(2003). LIFT BUYERS ARE RESPONSIBLE FOR ANY SPECIAL REGIONAL STRUCTURAL AND/OR SEISMIC ANCHORING REQUIREMENTS SPECIFIED BY ANY OTHER AGENCIES AND/OR CODES SUCH AS THE UNIFORM BUILDING CODE (UBC) AND/OR INTERNATIONAL BUILDING CODE (IBC).

THE MANUFACTURE, USE, SALE OR IMPORT OF THIS PRODUCT MAY BE SUBJECT TO ONE OR MORE UNITED STATES PATENTS, OR PENDING APPLICATIONS, OWNED BY BENDPAK, INC.
 DO NOT REMOVE ENGINEERED BY BENDPAK INC. USA MADE IN CHINA

SIZE: 2.3" L x 4.5" W (58mm x 114mm)

2. Vendor Information

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

PART SPECIFICATION FORM

BENDPAK Number:	5905951
MRP Description:	2017_SERIAL_TAG-B-5905951-VERTICAL-NO BLEED
Date:	10/30/2017
ECO :	00857

1. Engineering Specification

Application:

DATA SERIAL TAG

Detailed Description:

SIZE: 3" L x 3" W (76.2mm x 76.2mm)



The data plate template includes the following fields and labels:

- BP BendPak.** Santa Paula, CA USA www.bendpak.com
- MODEL NUMBER**
- DESCRIPTION**
- LIFT CAPACITY** and **DATE OF MFG.**
- VOLTAGE** options:
 - ☐ 110-240V, 50-60 Hz, 1 Ph
 - ☐ 208-240V, 50-60 Hz, 1 Ph
 - ☐ 380-415V, 50-60 Hz, 3 Ph
 - ☐ 208-440V, 50-60 Hz, 3 Ph
- SERIAL NUMBER**
- UPC**
- SAFETY WARNING:** DANGER! Disconnect Power Before Servicing. WARRANTY VOID IF DATA PLATE IS REMOVED. PN 5905951
- EAC** (European Conformity Mark)

2. Vendor Information (Or for Reference)

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			
2)			
OR BENDPAK ENGINEERING APPROVED EQUIVALENT			

PART SPECIFICATION FORM

BENDPAK Number:	5905962
MRP Description:	P-6B_Packaging_Label
Date:	12/30/2015
ECO :	00736

1. Engineering Specification

Application:

PACKAGING LABEL

Detailed Description:

SIZE: 6" (152mm) W x 10" (254mm) H

- Material: White Adhesive Paper
- Ink: U.V. protected CMYK 4/C Process
- Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital



2. Vendor Information (Or for Reference)

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			
2)			
OR BENDPAK ENGINEERING APPROVED EQUIVALENT			

P-6B & P-6FB Product Decal Positioning

A



P-6_BendPak_Cylinder_Decal.pdf:

Material: Clear Adhesive PET

Size: 16"W x 3"H

Thickness: 4 Mil

Finish: Polished


Ink: U.V. protected, Opaque White

Print Process: Silk Screen, 85 line-screen (Yellow color in file represents what should be clear PET material and SHOULD NOT print as Yellow ink. White area in file represents Opaque White ink.)

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

Clear PET material and
SHOULD NOT print as Yellow

B



PN 5905940

Product_Data_Label_5905940-New.pdf:

Size: 4.5"W x 2.3"H

Material: White Vinyl Pressure Sensitive Adhesive

Thickness: 4 Mil


Ink: U.V. protected CMYK 2/C Process

Finish: Polished

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

C



P-6FB_Operation_Instructions_5905813.pdf:

PN 5905813

Trim: 15"W x 3"H

Material: White Vinyl Pressure Sensitive Adhesive

Thickness: 4 Mil

Ink: U.V. protected CMYK 2/C Process

Finish: Polished

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

D



PN 5905176

Cylinder_Warning-Red_5905176.pdf:

Size: 3"W x 3"H

Material: White Vinyl Pressure Sensitive Adhesive

Thickness: 4 Mil

Ink: U.V. protected CMYK 2/C Process

Finish: Polished

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

E



Label_Warning_Pinch_Point_Small-5905350.pdf:

Size: 15"W x 1.5"H

Material: White Vinyl Pressure Sensitive Adhesive

Thickness: 4 Mil

Ink: U.V. protected CMYK 4/C Process

Finish: Polished

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

PN 5905350

P-6B & P-6FB Product Decal Positioning

F

BP BendPak Santa Paula, CA USA www.bendpak.com	
MODEL NUMBER	
DESCRIPTION	
LIFT CAPACITY	DATE OF MFG.
VOLTAGE	SERIAL NUMBER
☐ 110-240V, 50-60 Hz, 1 Ph	UPC
☐ 208-240V, 50-60 Hz, 1 Ph	
☐ 380-415V, 50-60 Hz, 3 Ph	
☐ 208-440V, 50-60 Hz, 3 Ph	
DANGER! Disconnect Power Before Servicing WARRANTY VOID IF DATA PLATE IS REMOVED PN 5905951	
EAC	

PN 5905951

2017_Serial_Tag-B-5905951:

Size: 3"W x 3"H

Material: 2 Mil. Matte Silver Polyester (Flex-PSE)

Print using thermal transfer printer with resin ribbon

Ink: 1 Color-Black

